UNITED STATES SECURITIES AND EXCHANGE COMMISSION

WASHINGTON, D.C. 20549

FORM 8-K

CURRENT REPORT

Pursuant to Section 13 or 15(d) of the Securities Exchange Act of 1934

Date of Report (Date of Earliest Event Reported):

March 29, 2017

Cytokinetics, Incorporated

(Exact name of registrant as specified in its charter)

Delaware	000-50633	94-3291317
(State or other jurisdiction of incorporation)	(Commission File Number)	(I.R.S. Employer Identification No.)
280 East Grand Avenue, South San Francisco, California		94080
(Address of principal executive offices)		(Zip Code)
Registrant's telephone number, including area code:		(650) 624 - 3000
	Not Applicable	
Former name or form	mer address, if changed since	last report
Check the appropriate box below if the Form 8-K filing is intendent following provisions:	ed to simultaneously satisfy t	he filing obligation of the registrant under any of the
 Written communications pursuant to Rule 425 under the Se Soliciting material pursuant to Rule 14a-12 under the Excha Pre-commencement communications pursuant to Rule 14d- Pre-commencement communications pursuant to Rule 13e- 	ange Act (17 CFR 240.14a-12) -2(b) under the Exchange Act) (17 CFR 240.14d-2(b))

Top of the Form

Item 8.01 Other Events.

Cytokinetics, Inc. announced that the second cohort of the Phase 2 clinical trial of CK-2127107 in patients with spinal muscular atrophy (SMA), is open to enrollment. This clinical trial is designed to assess the effect of CK-2127107, a next-generation fast skeletal troponin activator (FSTA), on multiple measures of muscle function in both ambulatory and non-ambulatory patients with SMA. SMA is a severe, genetic neuromuscular disease that leads to debilitating muscle function and progressive, often fatal, muscle weakness. The decision to proceed to Cohort 2 follows a review of safety and pharmacokinetics data from Cohort 1 by the Data Monitoring Committee (DMC). In collaboration with Astellas (TSE:4503) ("Astellas"), Cytokinetics is developing CK-2127107 as a potential treatment for people living with SMA and certain other debilitating diseases and conditions associated with skeletal muscle weakness and/or fatigue.

Top of the Form

SIGNATURES

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned hereunto duly authorized.

Cytokinetics, Incorporated

March 29, 2017

By: /s/ Sharon A. Barbari

Name: Sharon A. Barbari

Title: Executive Vice President, Finance and Chief Financial

Officer

Top of the Form

Exhibit Index

Exhibit No.	Description
99.1	Press Release, dated March 29, 2017



CYTOKINETICS ANNOUNCES START OF SECOND COHORT IN PHASE 2 CLINICAL TRIAL OF CK-2127107 IN PATIENTS WITH SPINAL MUSCULAR ATROPHY

Data Monitoring Committee Agrees to Proceed to Higher Dose Cohort

One of Four Clinical Trials in 2017 under Astellas Collaboration

SOUTH SAN FRANCISCO, Calif. March 29, 2017 – Cytokinetics, Inc. (Nasdaq: CYTK) today announced that the second cohort of the Phase 2 clinical trial of CK-2127107 in patients with spinal muscular atrophy (SMA), is open to enrollment. This clinical trial is designed to assess the effect of CK-2127107, a next-generation fast skeletal troponin activator (FSTA), on multiple measures of muscle function in both ambulatory and non-ambulatory patients with SMA. SMA is a severe, genetic neuromuscular disease that leads to debilitating muscle function and progressive, often fatal, muscle weakness. The decision to proceed to Cohort 2 follows a review of safety and pharmacokinetics data from Cohort 1 by the Data Monitoring Committee (DMC). In collaboration with Astellas (TSE:4503) ("Astellas"), Cytokinetics is developing CK-2127107 as a potential treatment for people living with SMA and certain other debilitating diseases and conditions associated with skeletal muscle weakness and/or fatigue.

"We are pleased to advance this clinical trial to the next phase of execution and appreciate the enthusiasm of our investigators to explore the potential of this novel mechanism drug candidate that specifically targets skeletal muscle and potentially improves muscle force, function and stamina," said Fady I. Malik, MD, PhD, Cytokinetics' Executive Vice President, Research and Development.

Clinical Trial Design

The primary objective of this Phase 2 hypothesis-generating, double-blind, randomized, placebo-controlled clinical trial is to determine the potential pharmacodynamic effects of a suspension formulation of CK-2127107 following multiple oral doses in patients with Type II, Type III, or Type IV SMA. Secondary objectives are to evaluate the safety, tolerability and pharmacokinetics of CK-2127107. There is no single primary endpoint in this trial.

The trial is designed to enroll 18 ambulatory (Type III or Type IV) and 18 non-ambulatory (Type II or Type III) patients 12 years of age and older in Cohort 1, randomized 2:1 to receive 150 mg of CK-2127107 or placebo, stratified by ambulatory versus non-ambulatory status, dosed twice daily for eight weeks. The second cohort of patients will receive 450 mg of CK-2127107 dosed twice daily, also for eight weeks.

As in Cohort 1, multiple assessments of skeletal muscle function and fatigability will be performed including respiratory assessments, upper limb strength and functionality for non-ambulatory patients, as well as six-minute walk and timed-up-and-go for ambulatory patients. Additional information can be found at www.clinicaltrials.gov.

About SMA

SMA is a severe neuromuscular disease that occurs in 1 in every 6,000 to 10,000 live births each year and is one of the most common fatal genetic disorders. Spinal muscular atrophy manifests in various degrees of severity as progressive muscle weakness resulting in respiratory and mobility impairment. There are four types of SMA, named for age of initial onset of muscle weakness and related symptoms: Type I (Infantile), Type II (Intermediate), Type III (Juvenile) and Type IV (Adult onset). Life expectancy and disease severity vary by type of SMA. Type I patients have the worst prognosis, with a life expectancy of no more than 2 years; Type IV patients have a normal life span but eventually suffer gradual weakness in the proximal muscles of the extremities resulting in mobility issues. Few treatment options exist for these patients, resulting in a high unmet need for new therapeutic options to address symptoms and modify disease progression.

About CK-2127107

Skeletal muscle contractility is driven by the sarcomere, the fundamental unit of skeletal muscle contraction. It is a highly ordered cytoskeletal structure composed of several key proteins. Skeletal muscle myosin is the cytoskeletal motor protein that converts chemical energy into mechanical force through its interaction with actin. A set of regulatory proteins, which includes tropomyosin and several types of troponin, make the actin-myosin interaction dependent on changes in intracellular calcium levels. CK-2127107, a novel skeletal muscle activator arising from Cytokinetics' skeletal muscle contractility program, slows the rate of calcium release from the regulatory troponin complex of fast skeletal muscle fibers, which sensitizes the sarcomere to calcium, leading to an increase in skeletal muscle contractility. CK-2127107 has demonstrated pharmacological activity that may lead to new therapeutic options for diseases associated with muscle weakness and fatigue. In non-clinical models of SMA, a skeletal muscle activator has demonstrated increases in submaximal skeletal muscle force in response to neuronal input and delays in the onset and reductions in the degree of muscle fatigue. CK-2127107 has been the subject of five completed Phase 1 clinical trials in healthy volunteers, which evaluated safety, tolerability,

bioavailability, pharmacokinetics and pharmacodynamics. In addition to the Phase 2 clinical trial in patients with SMA, Cytokinetics is collaborating with Astellas on the conduct of a Phase 2 clinical trial in patients with chronic obstructive pulmonary disease (COPD). Two additional clinical trials of CK-2127107 are planned to begin in 2017, one in patients with amyotrophic lateral sclerosis (ALS) and one in elderly subjects with limited mobility.

About Cytokinetics and Astellas Collaboration

In 2013, Astellas and Cytokinetics formed a partnership focused on the research, development, and commercialization of skeletal muscle activators. The primary objective of the collaboration is to advance novel therapies for diseases and medical conditions associated with muscle impairment and weakness. Under the collaboration, Cytokinetics exclusively licensed to Astellas rights to codevelop and potentially co-commercialize CK-2127107, a FSTA, in non-neuromuscular indications. In 2014, Astellas and Cytokinetics agreed to expand the collaboration to include certain neuromuscular indications, including SMA, and to advance CK-2127107 into Phase 2 clinical development, initially in SMA. Under the agreement as further amended in 2016, Astellas has exclusive rights to codevelop and commercialize CK-2127107 and other FSTAs in non-neuromuscular indications and certain neuromuscular indications (including SMA and ALS) and other novel mechanism skeletal muscle activators in all indications, subject to certain Cytokinetics' development and commercialization rights; Cytokinetics may co-promote and conduct certain commercial activities in North America and Europe under agreed scenarios.

About Cytokinetics

Cytokinetics is a late-stage biopharmaceutical company focused on discovering, developing and commercializing first-in-class muscle activators as potential treatments for debilitating diseases in which muscle performance is compromised and/or declining. As a leader in muscle biology and the mechanics of muscle performance, the company is developing small molecule drug candidates specifically engineered to increase muscle function and contractility. Cytokinetics' lead drug candidate is tirasemtiv, a fast skeletal troponin activator (FSTA). Tirasemtiv is the subject of VITALITY-ALS, an international Phase 3 clinical trial in patients with ALS. Tirasemtiv has been granted orphan drug designation and fast track status by the U.S. Food and Drug Administration and orphan medicinal product designation by the European Medicines Agency. Cytokinetics is preparing for the potential commercialization of tirasemtiv in North America and Europe and has granted an option to Astellas for development and commercialization in other countries. Cytokinetics is collaborating with Astellas to develop CK-2127107, a next-generation fast skeletal muscle activator. CK-2127107 is the subject of two ongoing Phase 2 clinical trials enrolling patients with spinal muscular atrophy and chronic obstructive pulmonary disease. Cytokinetics is collaborating with Amgen Inc. to develop omecamtiv mecarbil, a novel cardiac muscle activator. Omecamtiv mecarbil is the subject of GALACTIC-HF, an international Phase 3 clinical trial in patients with heart failure. Amgen holds an exclusive worldwide license to develop and commercialize omecantiv mecarbil with a sublicense held by Servier for commercialization in Europe and certain other countries. Astellas holds an exclusive worldwide license to develop and commercialize CK-2127107. Licenses held by Amgen and Astellas are subject to Cytokinetics' specified co-development and co-commercialization rights. For additional information about Cytokinetics, visit http://www.cytokinetics.com/.

Forward-Looking Statements

This press release contains forward-looking statements for purposes of the Private Securities Litigation Reform Act of 1995 (the "Act"). Cytokinetics disclaims any intent or obligation to update these forward-looking statements, and claims the protection of the Act's Safe Harbor for forward-looking statements. Examples of such statements include, but are not limited to, statements relating to Cytokinetics' and its partners' research and development activities; the design, results, significance and utility of preclinical study results; and the properties and potential benefits of Cytokinetics' drug candidates. Such statements are based on management's current expectations, but actual results may differ materially due to various risks and uncertainties, including, but not limited to, potential difficulties or delays in the development, testing, regulatory approvals for trial commencement, progression or product sale or manufacturing, or production of Cytokinetics' drug candidates that could slow or prevent clinical development or product approval, including risks that current and past results of clinical trials or preclinical studies may not be indicative of future clinical trial results, patient enrollment for or conduct of clinical trials may be difficult or delayed, Cytokinetics' drug candidates may have adverse side effects or inadequate therapeutic efficacy, the FDA or foreign regulatory agencies may delay or limit Cytokinetics' or its partners' ability to conduct clinical trials, and Cytokinetics may be unable to obtain or maintain patent or trade secret protection for its intellectual property; Astellas' decisions with respect to the design, initiation, conduct, timing and continuation of development activities for CK-2127107; Cytokinetics may incur unanticipated research and development and other costs or be unable to obtain additional financing necessary to conduct development of its products; standards of care may change, rendering Cytokinetics' drug candidates obsolete; competitive products or alternative therapies may be developed by others for the treatment of indications Cytokinetics' drug candidates and potential drug candidates may target; and risks and uncertainties relating to the timing and receipt of payments from its partners, including milestones and royalties on future potential product sales under Cytokinetics' collaboration agreements with such partners. For further information regarding these and other risks related to Cytokinetics' business, investors should consult Cytokinetics' filings with the Securities and Exchange Commission.

Contact:
Cytokinetics
Diane Weiser
Vice President, Corporate Communications, Investor Relations